

Datasheet for ABIN2536770

MMD ELISA Kit



_					
	W	0	rv	10	W

Quantity:	96 tests	
Target:	MMD	
Reactivity:	Human	
Method Type:	Sandwich ELISA	
Detection Range:	0.156 ng/mL - 10 ng/mL	
Minimum Detection Limit:	0.156 ng/mL	
Application:	ELISA	
Product Details		
Purpose:	Human MMA ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates, cell lysates	
	and other biological fluids. This assay has high sensitivity and excellent specificity for detection	
	of Monocyte To Macrophage Differentiation Associated Protein (MMA)	
	No significant cross-reactivity or interference between Monocyte To Macrophage	
	Differentiation Associated Protein (MMA) and analogues was observed.	
Sample Type:	Cell Lysate, Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of Monocyte -	
	Macrophage Differentiation Associated Protein (MMA)	
Sensitivity:	< 0.057 ng/mL	

Target Details

It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Target:	MMD	
Application Notes: Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Alternative Name:	Monocyte To Macrophage Differentiation Associated Protein (MMA) (MMD Products)	
than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 *C/-20 *C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Application Details		
performance fluctuations, operation procedures and lab conditions should be strictly controlled It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less	
It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		than 5 % within the expiration date under appropriate storage conditions. To minimize	
Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		performance fluctuations, operation procedures and lab conditions should be strictly controlled.	
User. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		It is also strongly suggested that the whole assay is performed by the same user throughout.	
Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		Recommended dilutions: Optimal dilutions/concentrations should be determined by the end	
Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		user.	
within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		Standard Form: Lyophilized	
fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%	
strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		within the expiration date under appropriate storage conditions minimize performance	
Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		fluctuations, operation procedures and lab conditions should be strictly controlled. It is also	
Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		strongly suggested that the whole assay is performed by the same user throughout.	
Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Plate:	Pre-coated	
Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Restrictions:	For Research Use only	
Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Handling		
Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		4 *0 / 20 *0	
	Storage:	4 °C/-20 °C	
Evniny Date: 6 months	Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.	
EXPITY Date. O MONUNS	Expiry Date: 6 months		