

## Datasheet for ABIN2537809 **PFKM ELISA Kit**



Overview

| 01011101                 |  |
|--------------------------|--|
| Quantity:                | 96 tests   |
| Target:                  | PFKM   |
| Reactivity:              | Human  |
| Method Type:             | Sandwich ELISA   |
| Detection Range:         | 0.312 ng/mL - 20 ng/mL   |
| Minimum Detection Limit: | 0.312 ng/mL  |
| Application:             | ELISA  |
| Product Details          |  |
| Purpose:                 | Human PFKM ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of |
|                          | Phosphofructokinase, Muscle (PFKM)   |
|                          | No significant cross-reactivity or interference between Phosphofructokinase, Muscle (PFKM) and analogues was observed.   |
| Sample Type:             | Tissue Homogenate  |
| Analytical Method:       | Quantitative   |
| Detection Method:        | Colorimetric   |
| Specificity:             | This assay has high sensitivity and excellent specificity for detection of Phosphofructokinase,<br>Muscle (PFKM)   |
| Sensitivity:             | < 0.114 ng/mL  |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2537809 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

| Target:   | PFKM  |
|-----------|---|
| Abstract: | PFKM Products   |
| Pathways: | Positive Regulation of Peptide Hormone Secretion, Negative Regulation of Hormone Secretion, |
|           | Carbohydrate Homeostasis, Warburg Effect  |

## **Application Details**

| Application Notes: | Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less |
|--------------------|---|
|                    | than 5 % within the expiration date under appropriate storage conditions. To minimize                 |
|                    | performance fluctuations, operation procedures and lab conditions should be strictly controlled       |
|                    | It is also strongly suggested that the whole assay is performed by the same user throughout.          |
|                    | Recommended dilutions: Optimal dilutions/concentrations should be determined by the end               |
|                    | user.   |
|                    | Standard Form: Lyophilized  |
| Comment:           | The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%    |
|                    | within the expiration date under appropriate storage conditions minimize performance                  |
|                    | fluctuations, operation procedures and lab conditions should be strictly controlled. It is also       |
|                    | strongly suggested that the whole assay is performed by the same user throughout.                     |
| Plate:             | Pre-coated  |
| Restrictions:      | For Research Use only   |
|                    |   |
| Handling           |   |
| Storage:           | 4 °C/-20 °C   |
| Storage Comment:   | Upon receipt, store the kit according to the storage instruction in the kit's manual.                 |
| Expiry Date:       | 6 months  |
|                    |   |