

## Datasheet for ABIN2537818

## **PIK3CD ELISA Kit**



## Overview

| Quantity:                | 96 tests  |
|--------------------------|---|
| Target:                  | PIK3CD  |
| Reactivity:              | Human   |
| Method Type:             | Sandwich ELISA  |
| Detection Range:         | 0.312 ng/mL - 20 ng/mL  |
| Minimum Detection Limit: | 0.312 ng/mL   |
| Application:             | ELISA   |
| Product Details          |   |
| Purpose:                 | Human PIK3Cd ELISA Kit is a sandwich ELISA kit for use with Cell lysates and other biological   |
|                          | fluids. This assay has high sensitivity and excellent specificity for detection of              |
|                          | Phosphoinositide-3-Kinase Catalytic Delta Polypeptide (PIK3Cd)                                  |
|                          | No significant cross-reactivity or interference between Phosphoinositide-3-Kinase Catalytic     |
|                          | Delta Polypeptide (PIK3Cd) and analogues was observed.  |
| Sample Type:             | Cell Lysate   |
| Analytical Method:       | Quantitative  |
| Detection Method:        | Colorimetric  |
| Specificity:             | This assay has high sensitivity and excellent specificity for detection of Phosphoinositide-3-K |
|                          | inase Catalytic Delta Polypeptide (PIK3Cd)  |
| Sensitivity:             | < 0.119 ng/mL   |

## **Target Details**

| Target:             | PIK3CD   |
|---------------------|--|
| Alternative Name:   | Phosphoinositide-3-Kinase Catalytic delta Polypeptide (PIK3Cd) (PIK3CD Products)   |
| Pathways:           | BCR Signaling, Warburg Effect  |
| Application Details |  |
| Application Notes:  | Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized |
| Comment:            | The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  |
| Plate:              | Pre-coated   |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Storage:            | 4 °C/-20 °C  |
| Storage Comment:    | Upon receipt, store the kit according to the storage instruction in the kit's manual.  |
| Expiry Date:        | 6 months   |