

## Datasheet for ABIN2537891

## **PIM2 ELISA Kit**



## Overview

Quantity:	96 tests
Target:	PIM2
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.625 ng/mL - 40 ng/mL
Minimum Detection Limit:	0.625 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human Pim-2 Oncogene ELISA Kit is a sandwich ELISA kit for use with Serum, plasma, tissue
	homogenates and other biological fluids. This assay has high sensitivity and excellent
	nonlogenates and other biological halas. This assay has high sensitivity and executent
	specificity for detection of Pim-2 Oncogene (PIM2)
	specificity for detection of Pim-2 Oncogene (PIM2)
Sample Type:	specificity for detection of Pim-2 Oncogene (PIM2)  No significant cross-reactivity or interference between Pim-2 Oncogene (PIM2) and analogues
Sample Type: Analytical Method:	specificity for detection of Pim-2 Oncogene (PIM2)  No significant cross-reactivity or interference between Pim-2 Oncogene (PIM2) and analogues was observed.
	specificity for detection of Pim-2 Oncogene (PIM2)  No significant cross-reactivity or interference between Pim-2 Oncogene (PIM2) and analogues was observed.  Plasma, Serum, Tissue Homogenate
Analytical Method:	specificity for detection of Pim-2 Oncogene (PIM2)  No significant cross-reactivity or interference between Pim-2 Oncogene (PIM2) and analogues was observed.  Plasma, Serum, Tissue Homogenate  Quantitative

## Target Details

Target:	PIM2
Alternative Name:	Pim-2 Oncogene (PIM2) (PIM2 Products)
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months