

Datasheet for ABIN2538042

PABPC1L ELISA Kit



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	96 tests	
Target:	PABPC1L	
Reactivity:	Human	
Method Type:	Sandwich ELISA	
Detection Range:	0.312 ng/mL - 20 ng/mL	
Minimum Detection Limit:	0.312 ng/mL	
Application:	ELISA	
Product Details		
Purpose:	Human PABPC1L ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other	
	biological fluids. This assay has high sensitivity and excellent specificity for detection of Poly A	
	Binding Protein Cytoplasmic 1 Like Protein (PABPC1L)	
	No significant cross-reactivity or interference between Poly A Binding Protein Cytoplasmic 1	
	Like Protein (PABPC1L) and analogues was observed.	
Sample Type:	Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of Poly A Binding Protein	
	Cytoplasmic 1 Like Protein (PABPC1L)	
Sensitivity:	< 0.115 ng/mL	

Target Details

It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Target:	PABPC1L	
Application Notes: Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Alternative Name:	Poly A Binding Protein Cytoplasmic 1 Like Protein (PABPC1L) (PABPC1L Products)	
than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Application Details		
performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less	
It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		than 5 % within the expiration date under appropriate storage conditions. To minimize	
Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		performance fluctuations, operation procedures and lab conditions should be strictly controlled.	
user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		It is also strongly suggested that the whole assay is performed by the same user throughout.	
Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		Recommended dilutions: Optimal dilutions/concentrations should be determined by the end	
Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		user.	
within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		Standard Form: Lyophilized	
fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%	
strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		within the expiration date under appropriate storage conditions minimize performance	
Plate: Pre-coated Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		fluctuations, operation procedures and lab conditions should be strictly controlled. It is also	
Restrictions: For Research Use only Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.		strongly suggested that the whole assay is performed by the same user throughout.	
Handling Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Plate:	Pre-coated	
Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Restrictions:	For Research Use only	
Storage: 4 °C/-20 °C Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.			
Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Handling		
	Storage:	4 °C/-20 °C	
Evniny Dato: 6 months	Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.	
LAPITY Date. UTITOTICIS	Expiry Date: 6 months		