

Datasheet for ABIN2538094

NR1I2 ELISA Kit



Overview

Overview	
Quantity:	96 tests
Target:	NR1I2
Reactivity:	Rat
Method Type:	Sandwich ELISA
Detection Range:	0.312 ng/mL - 20 ng/mL
Minimum Detection Limit:	0.312 ng/mL
Application:	ELISA
Product Details	
Purpose:	Rat Pregnane X Receptor ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates
	and other biological fluids. This assay has high sensitivity and excellent specificity for detection
	of Pregnane X Receptor (PXR)
	No significant cross-reactivity or interference between Pregnane X Receptor (PXR) and
	analogues was observed.
Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Pregnane X Receptor (PXR)
Sensitivity:	< 0.113 ng/mL

Target Details

Target:	NR1I2
Alternative Name:	Pregnane X Receptor (PXR) (NR1I2 Products)
Pathways:	Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months