

Datasheet for ABIN2538161 PLOD2 ELISA Kit



Go to Product page

Overview

Quantity:	96 tests
Target:	PLOD2
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human PLOD2 ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates, cell lysates
	and other biological fluids. This assay has high sensitivity and excellent specificity for detection
	of Procollagen Lysine-2-Oxoglutarate-5-Dioxygenase 2 (PLOD2)
	No significant cross-reactivity or interference between Procollagen Lysine-2-Oxoglutarate-5-
	Dioxygenase 2 (PLOD2) and analogues was observed.
Sample Type:	Cell Lysate, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Procollagen Lysine-2-
	Oxoglutarate-5-Dioxygenase 2 (PLOD2)
Sensitivity:	< 0.057 ng/mL

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2538161 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Target:	PLOD2
Alternative Name:	Procollagen Lysine-2-Oxoglutarate-5-Dioxygenase 2 (PLOD2) (PLOD2 Products)
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	 Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months