

Datasheet for ABIN2538527

Fc epsilon RI/FCER1A ELISA Kit



Overview	
Quantity:	96 tests
Target:	Fc epsilon RI/FCER1A (FCER1A)
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA
Product Details	
Purpose:	Mouse FceRI ELISA Kit is a sandwich ELISA kit for use with Serum, plasma, tissue
	have a constant and allow his lawing floring. This are control him a constitute conductable and

Purpose:	Mouse FceRI ELISA Kit is a sandwich ELISA kit for use with Serum, plasma, tissue homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Receptor I For The Fc Region Of Immunoglobulin E (FceRI)
	No significant cross-reactivity or interference between Receptor I For The Fc Region Of Immunoglobulin E (FceRI) and analogues was observed.
Sample Type:	Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Receptor I For The Fc Region Of Immunoglobulin E (FceRI)
Sensitivity:	< 0.057 ng/mL

Target Details

Target:	Fc epsilon RI/FCER1A (FCER1A)	
Alternative Name:	Receptor I For The Fc Region Of Immunoglobulin E (FceRI) (FCER1A Products)	
Pathways:	Fc-epsilon Receptor Signaling Pathway, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process	
Application Details		
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized	
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.	
Plate:	Pre-coated	
Restrictions:	For Research Use only	
Handling		
Storage:	4 °C/-20 °C	
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.	
Expiry Date:	6 months	