

Datasheet for ABIN2539015 **SIRT3 ELISA Kit**



Overview

Quantity:	96 tests
Target:	SIRT3
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.312 ng/mL - 20 ng/mL
Minimum Detection Limit:	0.312 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human Sirtuin 3 ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates, cell
Purpose:	Human Sirtuin 3 ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates, cell lysates and other biological fluids. This assay has high sensitivity and excellent specificity for
Purpose:	-
Purpose:	lysates and other biological fluids. This assay has high sensitivity and excellent specificity for
Purpose:	lysates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Sirtuin 3 (SIRT3)
Purpose: Sample Type:	lysates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Sirtuin 3 (SIRT3) No significant cross-reactivity or interference between Sirtuin 3 (SIRT3) and analogues was
·	lysates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Sirtuin 3 (SIRT3) No significant cross-reactivity or interference between Sirtuin 3 (SIRT3) and analogues was observed.
Sample Type:	lysates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Sirtuin 3 (SIRT3) No significant cross-reactivity or interference between Sirtuin 3 (SIRT3) and analogues was observed. Cell Lysate, Tissue Homogenate
Sample Type: Analytical Method:	lysates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Sirtuin 3 (SIRT3) No significant cross-reactivity or interference between Sirtuin 3 (SIRT3) and analogues was observed. Cell Lysate, Tissue Homogenate Quantitative

Target Details

Target:	SIRT3
Abstract:	SIRT3 Products
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months