

Datasheet for ABIN2539329

Syncoilin ELISA Kit



\sim				
()/	/ei	^\/I	91	٨/

Quantity:	96 tests
Target:	Syncoilin (Sync)
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.312 ng/mL - 20 ng/mL
Minimum Detection Limit:	0.312 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human Syncoilin ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other
	Human Syncoilin ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of
	biological fluids. This assay has high sensitivity and excellent specificity for detection of
	biological fluids. This assay has high sensitivity and excellent specificity for detection of Syncoilin (SYNC)
	biological fluids. This assay has high sensitivity and excellent specificity for detection of Syncoilin (SYNC) No significant cross-reactivity or interference between Syncoilin (SYNC) and analogues was
Purpose:	biological fluids. This assay has high sensitivity and excellent specificity for detection of Syncoilin (SYNC) No significant cross-reactivity or interference between Syncoilin (SYNC) and analogues was observed.
Purpose: Sample Type:	biological fluids. This assay has high sensitivity and excellent specificity for detection of Syncoilin (SYNC) No significant cross-reactivity or interference between Syncoilin (SYNC) and analogues was observed. Tissue Homogenate
Purpose: Sample Type: Analytical Method:	biological fluids. This assay has high sensitivity and excellent specificity for detection of Syncoilin (SYNC) No significant cross-reactivity or interference between Syncoilin (SYNC) and analogues was observed. Tissue Homogenate Quantitative

Target Details

Target:	Syncoilin (Sync)
Abstract:	Sync Products
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months