

## Datasheet for ABIN2539591 THRA ELISA Kit



Overview

Quantity:	96 tests
Target:	THRA
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	62.5 pg/mL - 4000 pg/mL
Minimum Detection Limit:	62.5 pg/mL
Application:	ELISA
Product Details	
Purpose:	Human THRa ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other
	biological fluids. This assay has high sensitivity and excellent specificity for detection of Thyroid
	Hormone Receptor Alpha (THRa)
	No significant cross-reactivity or interference between Thyroid Hormone Receptor Alpha
	(THRa) and analogues was observed.
Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Thyroid Hormone
	Receptor Alpha (THRa)
Sensitivity:	< 22.5 pg/mL

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2539591 | 07/26/2024 | Copyright antibodies-online. All rights reserved. Target Details

THRA
Thyroid Hormone Receptor alpha (THRa) (THRA Products)
Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway,
Sensory Perception of Sound, Cellular Response to Molecule of Bacterial Origin, Regulation of
Lipid Metabolism by PPARalpha, Regulation of Muscle Cell Differentiation, Maintenance of
Protein Location, Skeletal Muscle Fiber Development
Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less
than 5 % within the expiration date under appropriate storage conditions. To minimize
performance fluctuations, operation procedures and lab conditions should be strictly controlled
It is also strongly suggested that the whole assay is performed by the same user throughout.
Recommended dilutions: Optimal dilutions/concentrations should be determined by the end
user.
Standard Form: Lyophilized
The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%
within the expiration date under appropriate storage conditions minimize performance
fluctuations, operation procedures and lab conditions should be strictly controlled. It is also
strongly suggested that the whole assay is performed by the same user throughout.
Pre-coated
For Research Use only
4 °C/-20 °C
Upon receipt, store the kit according to the storage instruction in the kit's manual.
6 months