antibodies -online.com





Datasheet for ABIN2540259

ETS1 ELISA Kit



Overview

Quantity:	96 tests
Target:	ETS1
Reactivity:	Mouse
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA
Product Details	
Purpose:	Mouse ETS1 ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other
	biological fluids. This assay has high sensitivity and excellent specificity for detection of V-Ets
	Erythroblastosis Virus E26 Oncogene Homolog 1 (ETS1)
	No significant cross-reactivity or interference between V-Ets Erythroblastosis Virus E26
	Oncogene Homolog 1 (ETS1) and analogues was observed.
Sample Type:	Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of V-Ets Erythroblastosis
	Virus E26 Oncogene Homolog 1 (ETS1)
Sensitivity:	< 0.052 ng/mL

Target Details

	Target:	ETS1
Application Notes: Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly control It is also strongly suggested that the whole assay is performed by the same user throughout Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated For Research Use only	Alternative Name:	V-Ets Erythroblastosis Virus E26 Oncogene Homolog 1 (ETS1) (ETS1 Products)
than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly control It is also strongly suggested that the whole assay is performed by the same user throughout Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only	Application Details	
performance fluctuations, operation procedures and lab conditions should be strictly control It is also strongly suggested that the whole assay is performed by the same user throughout Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only	Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less
It is also strongly suggested that the whole assay is performed by the same user throughout Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		than 5 % within the expiration date under appropriate storage conditions. To minimize
Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		performance fluctuations, operation procedures and lab conditions should be strictly controlled.
user. Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		It is also strongly suggested that the whole assay is performed by the same user throughout.
Standard Form: Lyophilized Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		Recommended dilutions: Optimal dilutions/concentrations should be determined by the end
Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		user.
within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		Standard Form: Lyophilized
fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only	Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%
strongly suggested that the whole assay is performed by the same user throughout. Plate: Pre-coated Restrictions: For Research Use only		within the expiration date under appropriate storage conditions minimize performance
Plate: Pre-coated Restrictions: For Research Use only		fluctuations, operation procedures and lab conditions should be strictly controlled. It is also
Restrictions: For Research Use only		strongly suggested that the whole assay is performed by the same user throughout.
	Plate:	Pre-coated
Handling	Restrictions:	For Research Use only
Handling		
	Handling	
Storage: 4 °C/-20 °C	Storage:	4 °C/-20 °C
Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date: 6 months	Expiry Date:	6 months