

## Datasheet for ABIN2542036

## beta-Thromboglobulin ELISA Kit



Overview	
Quantity:	96 tests
Target:	beta-Thromboglobulin (beta-TG)
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	15.6 pg/mL - 1000 pg/mL
Minimum Detection Limit:	15.6 pg/mL
Application:	ELISA
Product Details	
Purpose:	Human Beta-Thromboglobulin ELISA Kit is a sandwich ELISA kit for use with Serum, plasma,
	tissue homogenates, cell lysates, cell culture supernates and other biological fluids. This assay
	has high sensitivity and excellent specificity for detection of Beta-Thromboglobulin (bTG)
	No significant cross-reactivity or interference between Beta-Thromboglobulin (bTG) and

Purpose:	Human Beta-Thromboglobulin ELISA Kit is a sandwich ELISA kit for use with Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Beta-Thromboglobulin (bTG) No significant cross-reactivity or interference between Beta-Thromboglobulin (bTG) and analogues was observed.
Sample Type:	Cell Culture Supernatant, Cell Lysate, Plasma, Serum, Tissue Homogenate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Specificity:	This assay has high sensitivity and excellent specificity for detection of Beta-Thromboglobulin (bTG)
Sensitivity:	< 5.9 pg/mL

## Target Details

Target:	beta-Thromboglobulin (beta-TG)
Alternative Name:	beta-Thromboglobulin (bTG) (beta-TG Products)
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months