

## Datasheet for ABIN2543065

## **COTL1 ELISA Kit**



_				
( )	ve	r\/		۸ /
	$^{\prime}$ $^{\prime}$	: I V	$\Box$	٧V

Overview		
Quantity:	96 tests	
Target:	COTL1	
Reactivity:	Human	
Method Type:	Sandwich ELISA	
Detection Range:	0.156 ng/mL - 10 ng/mL	
Minimum Detection Limit:	0.156 ng/mL	
Application:	ELISA	
Product Details		
Purpose:	Human COTL1 ELISA Kit is a sandwich ELISA kit for use with Tissue homogenates and other	
	biological fluids. This assay has high sensitivity and excellent specificity for detection of	
	Coactosin Like Protein 1 (COTL1)	
	No significant cross-reactivity or interference between Coactosin Like Protein 1 (COTL1) and	
	analogues was observed.	
Sample Type:	Tissue Homogenate	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This assay has high sensitivity and excellent specificity for detection of Coactosin Like Protein 1	
	(COTL1)	
Sensitivity:	< 0.058 ng/mL	

## Target Details

Application Details  Application Notes: Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled it is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized  Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only	Target:	COTL1	
Application Notes:  Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled it is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized  Comment:  The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate:  Pre-coated  For Research Use only	Alternative Name:	Coactosin Like Protein 1 (COTL1) (COTL1 Products)	
than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized  Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only	Application Details		
performance fluctuations, operation procedures and lab conditions should be strictly controlled.  It is also strongly suggested that the whole assay is performed by the same user throughout.  Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized  Comment:  The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate:  Pre-coated  Restrictions:  For Research Use only	Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less	
It is also strongly suggested that the whole assay is performed by the same user throughout.  Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized  Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only		than 5 $\%$ within the expiration date under appropriate storage conditions. To minimize	
Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.  Standard Form: Lyophilized  Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only		performance fluctuations, operation procedures and lab conditions should be strictly controlled.	
user. Standard Form: Lyophilized  Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only		It is also strongly suggested that the whole assay is performed by the same user throughout.	
Standard Form: Lyophilized  Comment: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only		Recommended dilutions: Optimal dilutions/concentrations should be determined by the end	
Comment:  The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate:  Pre-coated  Restrictions:  For Research Use only		user.	
within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only		Standard Form: Lyophilized	
fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only	Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%	
Strongly suggested that the whole assay is performed by the same user throughout.  Plate: Pre-coated  Restrictions: For Research Use only		within the expiration date under appropriate storage conditions. To minimize performance	
Plate: Pre-coated  Restrictions: For Research Use only		fluctuations, operation procedures and lab conditions should be strictly controlled. It is also	
Restrictions: For Research Use only		strongly suggested that the whole assay is performed by the same user throughout.	
	Plate:	Pre-coated	
Handling	Restrictions:	For Research Use only	
Handling			
	Handling		
Storage: 4 °C/-20 °C	Storage:	4 °C/-20 °C	
Storage Comment: Upon receipt, store the kit according to the storage instruction in the kit's manual.	Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.	
Expiry Date: 6 months	Expiry Date:		