

Datasheet for ABIN2543816

Destrin ELISA Kit



Overview

Quantity:	96 tests
Target:	Destrin (DSTN)
Reactivity:	Human
Method Type:	Sandwich ELISA
Detection Range:	0.156 ng/mL - 10 ng/mL
Minimum Detection Limit:	0.156 ng/mL
Application:	ELISA
Product Details	
Purpose:	Human Destrin ELISA Kit is a sandwich ELISA kit for use with Serum, plasma, tissue
Purpose:	Human Destrin ELISA Kit is a sandwich ELISA kit for use with Serum, plasma, tissue homogenates and other biological fluids. This assay has high sensitivity and excellent
Purpose:	
Purpose:	homogenates and other biological fluids. This assay has high sensitivity and excellent
Purpose:	homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Destrin (DSTN)
Purpose: Sample Type:	homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Destrin (DSTN) No significant cross-reactivity or interference between Destrin (DSTN) and analogues was
·	homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Destrin (DSTN) No significant cross-reactivity or interference between Destrin (DSTN) and analogues was observed.
Sample Type:	homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Destrin (DSTN) No significant cross-reactivity or interference between Destrin (DSTN) and analogues was observed. Plasma, Serum, Tissue Homogenate
Sample Type: Analytical Method:	homogenates and other biological fluids. This assay has high sensitivity and excellent specificity for detection of Destrin (DSTN) No significant cross-reactivity or interference between Destrin (DSTN) and analogues was observed. Plasma, Serum, Tissue Homogenate Quantitative

Target Details

Target:	Destrin (DSTN)
Alternative Name:	Destrin (DSTN) (DSTN Products)
Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5 % within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout. Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user. Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months