# antibodies - online.com







## anti-DHDH antibody (AA 281-334) (Biotin)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	DHDH	
Binding Specificity:	AA 281-334	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DHDH antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DHDH	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

#### **Target Details**

Target:	DHDH
Alternative Name:	DHDH (DHDH Products)

### **Target Details**

Background:	Synonyms: 2DD, HUM2DD, Trans-1,2-dihydrobenzene-1,2-diol dehydrogenase, D-xylose 1-			
	dehydrogenase, D-xylose-NADP dehydrogenase, Dimeric dihydrodiol dehydrogenase, DHDH			
	Background: This gene encodes an enzyme that belongs to the family of dihydrodiol			
	dehydrogenases, which exist in multiple forms in mammalian tissues and are involved in the			
	metabolism of xenobiotics and sugars. These enzymes catalyze the NADP1-linked oxidation of			
	transdihydrodiols of aromatic hydrocarbons to corresponding catechols. This enzyme is a			
	dimeric dihydrodiol dehydrogenase, and it differs from monomeric dihydrodiol dehydrogenases			
	in its high substrate specificity for trans-dihydrodiols of aromatic hydrocarbons in the oxidative			
	direction. [provided by RefSeq, Jul 2008]			
Gene ID:	27294			
UniProt:	Q9UQ10			
Application Details				
Application Notes:	WB 1:300-5000			
	IHC-P 1:200-400			
	IHC-F 1:100-500			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C for 12 months.			
Expiry Date:	12 months			