.-online.com antibodies

Datasheet for ABIN2564492 anti-PGAM1 antibody (C-Term)

2 Images



Overview

Quantity:	100 µg
Target:	PGAM1
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Dog, Pig
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This PGAM1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	C-terminal
Sequence:	KAMEAVAAQG KAKK
lsotype:	lgG
Purification:	Affinity purification


Target Details

Target:	PGAM1
Alternative Name:	PGAM1/2/4 (PGAM1 Products)
Pathways:	Regulation of Carbohydrate Metabolic Process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2564492 | 01/16/2024 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin. Aliquot and store at -20 °C. Minimize freezing and thawing.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C


Images



Western Blotting

Image 1. ABIN2564492 (0.03µg/ml) staining of Human Cerebellum (A) and Liver (B) lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2564492 | 01/16/2024 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 2. ABIN2564492 (0.03µg/ml) staining of Mouse (A), Rat (B) and Pig (C) Liver lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2564492 | 01/16/2024 | Copyright antibodies-online. All rights reserved.