

## Datasheet for ABIN2567876

# anti-L-Selectin antibody (FITC)



### Overview

Quantity:	0.1 mg
Target:	L-Selectin (SELL)
Reactivity:	Rat
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This L-Selectin antibody is conjugated to FITC
Application:	Flow Cytometry (FACS)

### **Product Details**

Clone:	MEL-14
Isotype:	IgG2a kappa
Specificity:	The MEL-14 monoclonal antibody specifically reacts with L- selectin (CD62L), a receptor with lectin-like and Epidermal Growth Factor-like domains.
Purification:	The monoclonal antibody was purified utilizing affinity chromatography and unreacted dye was removed from the product.

## Target Details

Target:	L-Selectin (SELL)
Alternative Name:	CD62L (SELL Products)
Target Type:	Chemical

#### Target Details

Background:
-------------

The MEL-14 monoclonal antibody specifically reacts with L- selectin (CD62L), a receptor with lectin-like and Epidermal Growth Factor-like domains. The weight of the CD62L molecules depend on their origin, 74 kDa on lymphocytes or 95 kDa on neutrophils. In the mouse organism, CD62L can be expressed by most thymocytes, on subsets of B and T lymphocytes, monocytes, eosinophils, and neutrophils. The L-selectin binds sulfated, fucosylated, and glycosylated glycoproteins (MadCAM-1, GLYCAM-1, and CD 34). It mediates the migration of lymphocytes to the site of inflammation and their return to the peripheral lymphoid tissues and to the HEV (high endothelial venules). In vitro, L-selectin inhibits this binding and the lymphocyte extravasation into peripheral lymph nodes. After cell activation, it is quickly shed by neutrophils and lymphocytes.

Gene ID:

20343

UniProt:

P18337

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.	
--------------------	--	--

Restrictions: For Research Use only

### Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Phosphate-buffered aqueous solution, ≤0.09 % Sodium azide, may contain carrier protein/stabilizer, ph7.2.
Storage:	4 °C
Storage Comment:	The product should be stored undiluted at 4°C and should be protected from prolonged exposure to light. Do not freeze.