## antibodies -online.com





## anti-IDH3B antibody (FITC)






Go to Product page

| $\sim$  |           |
|---------|-----------|
| ( )\/\  | rview     |
| $\circ$ | 1 4 1 4 4 |

| Quantity:         | 100 μg   |
|-------------------|--|
| Target:           | IDH3B  |
| Reactivity:       | Human  |
| Host:             | Rabbit   |
| Clonality:        | Polyclonal   |
| Conjugate:        | This IDH3B antibody is conjugated to FITC  |
| Application:      | Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)) |
| Product Details   |  |
| Immunogen:        | Recombinant human Isocitrate dehydrogenase [NAD] subunit beta, mitochondrial protein.                                |
|                   | Type of Immunogen: Recombinant protein   |
| Isotype:          | IgG  |
| Specificity:      | Human IDH3B  |
| Purification:     | Caprylic acid and ammonium sulfate precipitation   |
| Target Details    |  |
| Target:           | IDH3B  |
| Alternative Name: | IDH3B (IDH3B Products)   |
| Background:       | Name/Gene ID: IDH3B  |

|                     | Synonyms: IDH3B, H-IDHB, RP46, NAD+-specific ICDH   |
|---------------------|---|
| Gene ID:            | 3420  |
| Application Details |   |
| Application Notes:  | Approved: ELISA, IHC, IHC-P, WB   |
|                     | Usage: The applications listed have been tested for the unconjugated form of this product.  Other forms have not been tested. |
| Comment:            | Target Species of Antibody: Human   |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Concentration:      | Lot specific  |
| Buffer:             | PBS, pH 7.4, 0.03 % Proclin 300, 50 % glycerol.   |
| Preservative:       | ProClin   |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.             |
| Handling Advice:    | Avoid freeze-thaw cycles.   |
| Storage:            | -20 °C,-80 °C   |
| Storage Comment:    | Aliquot and store at -20°C or -80°C. Avoid freeze-thaw cycles.  |



## **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Human Colon: Formalin-Fixed, Paraffin-Embedded (FFPE). This image was taken for the unconjugated form of this product. Other forms have not been tested.