antibodies .- online.com







anti-STAP2 antibody (C-Term)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Target:

Quantity:	100 μg
Target:	STAP2
Binding Specificity:	C-Term
Reactivity:	Mouse
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This STAP2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Purpose:	Stap2 (mouse)
Sequence:	EEKLQKRRAL EH
Isotype:	IgG
Cross-Reactivity:	Cow, Mouse, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity
	chromatography using the immunizing peptide.
Grade:	Verified
Target Details	

STAP2

Target Details

Alternative Name:	Stap2 (STAP2 Products)
Background:	Stap2, signal transducing adaptor family member 2, AW049765, STAP-2, signal-transducing adaptor protein 2, signal-transducing adaptor protein-2
Gene ID:	106766, 363334
NCBI Accession:	NP_666046

Application Details

Application Notes:	Western Blot: Approx 50 kDa band observed in Mouse fetal Brain and fetal Stomach lysates	
	(calculated MW of 45.8 kDa according to NP_666046.1). This molecular weight is routinely	
	observed by other sources. Recommended concentration: 1-3 μg/mL.	
	Peptide ELISA: antibody detection limit dilution 1:64000.	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.