

Datasheet for ABIN2620791
anti-FGA antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	FGA
Binding Specificity:	N-Term
Reactivity:	Human, Rat, Cow, Goat, Pig, Sheep
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FGA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Immunogen:	Synthetic peptide from N-Terminus of human FGA (Q4QQH7, NP_068657). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Baboon, Monkey, Galago (100%), Elephant, Bovine (92%), Sheep, Goat, Pig (90%), Marmoset, Mouse, Dog, Opossum (85%), Horse (84%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human FGA / Fibrinogen
Purification:	Protein A purified

Target Details


Target:	FGA
Alternative Name:	FGA / Fibrinogen alpha (FGA Products)
Background:	Name/Gene ID: FGA Synonyms: FGA, Fib2, Fibrinogen A alpha, Fibrinogen alpha chain
Gene ID:	2243
NCBI Accession:	NP_068657

Application Details

Application Notes:	Approved: IHC, IHC-P (10 µg/mL), WB (5 µg/mL)
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Reconstitute with 0.1 mL distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Immunohistochemistry

Image 1. Anti-Fibrinogen Alpha / FGA antibody IHC staining of human colon, vessel. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 10 ug/ml. This image was taken for the unconjugat ...