antibodies -online.com







Overview	
Quantity:	100 μg
Target:	FSTL3
Binding Specificity:	AA 145-159
Reactivity:	Human, Cow, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FSTL3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	A synthetic peptide corresponding to a sequence in the middle region of human FSTL3(145-
	159aa ECELRAARCRGHPDL), different from the related rat and mouse sequences by one
	amino acid.
Isotype:	IgG
Specificity:	Expressed in a wide range of tissues
Cross-Reactivity (Details):	No cross reactivity with other proteins.
Purification:	Immunogen affinity purified
Target Details	
Target:	FSTL3

Target Details

Alternative Name:	FSTL3 / FLRG (FSTL3 Products)
Background:	Name/Gene ID: FSTL3
	Synonyms: FSTL3, FLRG, Follistatin-related protein 3, Follistatin-like protein 3, FSRP
Gene ID:	10272

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Contains 5 mg BSA, 0.9 mg NaCl, 0.2 mg Na2 HPO4, 0.05 mg Thimerosal, 0.05 mg sodium azide per 100 μ g antibody.
Preservative:	Sodium azide, Thimerosal (Merthiolate)
Precaution of Use:	This product contains Sodium azide and Thimerosal (Merthiolate): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	At -20°C for 1 year. After reconstitution, at 4°C for 1 month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid freeze-thaw cycles.