



[Go to Product page](#)

Datasheet for ABIN2621209

anti-GATAD2A antibody (AA 573-633)

1 Image

Overview

Quantity:	50 µL
Target:	GATAD2A
Binding Specificity:	AA 573-633
Reactivity:	Human, Mouse, Rat, Horse, Rabbit, Cow, Dog, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GATAD2A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 573 and 633 of human p66alpha using the numbering given in entry AA031797.1 (GeneID 54815).
Purification:	Immunoaffinity purified

Target Details

Target:	GATAD2A
Alternative Name:	GATAD2A (GATAD2A Products)

Target Details


Background:	Name/Gene ID: GATAD2A Synonyms: GATAD2A, Hp66alpha, p66 alpha, p66alpha
Gene ID:	54815
Pathways:	Tube Formation , Embryonic Body Morphogenesis

Application Details

Application Notes:	Approved: IF (1:250 - 1:1000), IHC, IHC-P (5 µg/mL), IP (2 - 5 µg/mg lysate), WB (1:2000 - 1:10000) Usage: Immunohistochemistry: Antigen retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Human controls: Breast Carcinoma, Testicular Seminoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-citrate/phosphate buffer, pH 7-8, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Human Colon: Formalin-Fixed, Paraffin-Embedded (FFPE)