



[Go to Product page](#)

Datasheet for ABIN2624243  
**anti-INO80 antibody (AA 1400-1450)**

1 Image

### Overview

Quantity:	50 µL
Target:	INO80
Binding Specificity:	AA 1400-1450
Reactivity:	Human, Mouse, Rat, Cow, Dog, Horse, Pig, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This INO80 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

### Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 1400 and 1450 of human INO80 homolog using the numbering given in entry NP_060023.1 (GeneID 54617).
Purification:	Immunoaffinity purified

### Target Details

Target:	INO80
Alternative Name:	INO80 ( <a href="#">INO80 Products</a> )

## Target Details

---

Background:	Name/Gene ID: INO80  Synonyms: INO80, Homolog of yeast INO80, INO80 homolog (S. cerevisiae), INO80A, INO80 complex subunit A, KIAA1259, DNA helicase INO80, HINO80, INOC1
Gene ID:	54617
Pathways:	<a href="#">Positive Regulation of Response to DNA Damage Stimulus</a>

## Application Details


---

Application Notes:	Approved: IHC, IHC-P (5 µg/mL), IP (2 - 10 µg/mg lysate)  Not recommended for: WB
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-citrate/phosphate buffer, pH 7-8, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



### Immunohistochemistry

**Image 1.** Anti-INO80 antibody IHC staining of human breast. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.