

Datasheet for ABIN2625283 anti-MCM3 antibody (AA 13-27)



Overview

| Overview | |
|-----------------------------|---|
| Quantity: | 100 μg |
| Target: | MCM3 |
| Binding Specificity: | AA 13-27 |
| Reactivity: | Human, Mouse, Rat, Horse, Pig, Monkey, Cow, Guinea Pig, Rabbit, Bat, Chicken, Sheep |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MCM3 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunocytochemistry (ICC) |
| Product Details | |
| Immunogen: | A synthetic peptide corresponding to a sequence at the N-terminus of human MCM3(13-27aa REAQRDYLDFLDDEE), identical to the related rat and mouse sequences. |
| Isotype: | IgG |
| Cross-Reactivity (Details): | No cross reactivity with other proteins. |
| Purification: | Immunogen affinity purified |
| Target Details | |
| Target: | MCM3 |
| Alternative Name: | MCM3 (MCM3 Products) |

Target Details

| Background: | Name/Gene ID: MCM3 |
|-------------|---|
| | Synonyms: MCM3, DNA replication factor MCM3, HCC5, HRIf beta subunit, p1-MCM3, RLF subunit beta, RLFB, p102, p1.h |
| Gene ID: | 4172 |
| Pathways: | DNA Damage Repair, Mitotic G1-G1/S Phases, DNA Replication, Chromatin Binding, Synthesis of DNA |

Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Contains 5 mg BSA, 0.9 mg NaCl, 0.2 mg Na2 HPO4, 0.05 mg Thimerosal, 0.05 mg sodium azide per 100 μ g antibody. |
| Preservative: | Sodium azide, Thimerosal (Merthiolate) |
| Precaution of Use: | This product contains Sodium azide and Thimerosal (Merthiolate): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | At -20°C for 1 year. After reconstitution, at 4°C for 1 month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid freeze-thaw cycles. |