



Datasheet for ABIN2625326
anti-MED1 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	MED1
Binding Specificity:	AA 1525-1581, C-Term
Reactivity:	Human, Mouse, Rat, Dog, Horse, Rabbit, Chicken, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MED1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Proximity Ligation Assay (PLA)

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 1525 and the C-terminus (residue 1581) of human Cofactor Required for Sp1 Transcriptional Activation 1 (Thyroid Hormone Receptor-Associated Protein Complex Component TRAP220) using the numbering given in entry NP_004765.2 (GeneID 54)
Purification:	Immunoaffinity purified

Target Details

Target:	MED1
---------	------

Target Details

Alternative Name:	MED1 / TRAP220 (MED1 Products)
Background:	Name/Gene ID: MED1 Synonyms: MED1, ARC205, CRSP1, DRIP205, DRIP230, Mediator complex subunit 1, PBP, PPARG binding protein, RB18A, TRIP-2, TRIP2, PPARBP, CRSP200, p53 regulatory protein RB18A, PPAR binding protein, PPAR-binding protein, PPARGBP, TR-interacting protein 2, TRAP220
Gene ID:	5469
Pathways:	Nuclear Receptor Transcription Pathway , Intracellular Steroid Hormone Receptor Signaling Pathway , Regulation of Intracellular Steroid Hormone Receptor Signaling , Nuclear Hormone Receptor Binding , Chromatin Binding , Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	Approved: IF (1:250 - 1:1000), IHC, IHC-P (5 µg/mL), IP (2 - 5 µg/mg lysate), PLA (1:1000 - 1:20000), WB (1:2000 - 1:10000) Usage: Immunohistochemistry: Antigen retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Human controls: Breast Carcinoma, Lung Adenocarcinoma, Ovarian Carcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-citrate/phosphate buffer, pH 7-8, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.

Handling

Expiry Date: 12 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Small Intestine: Formalin-Fixed, Paraffin-Embedded (FFPE)