

Datasheet for ABIN2626150 anti-NONO antibody (AA 350-400)

1 Image

Overview



Go to Product page

Quantity:	50 μL
Target:	NONO
Binding Specificity:	AA 350-400
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NONO antibody is un-conjugated

Immunohistochemistry (IHC), Immunofluorescence (IF), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Application:

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residues 350 and 400 of human Non-POU Domain Containing, Octamer-binding using the numbering given in entry NP_031389.3 (GeneID 4841).
Purification:	Immunoaffinity purified

Target Details

Target:	NONO
Alternative Name:	NONO / P54NRB (NONO Products)

Target Details

Background:	Name/Gene ID: NONO
	Synonyms: NONO, 55 kDa nuclear protein, NRB54, NMT55, NonO protein, p54, p54(nrb), p54NRB
Gene ID:	4841

Application Details

Approved: IF (1:50 - 1:500), IHC, IHC-P (1:100)

Usage: Immunohistochemistry: Antigen retrieval is recommended. Antigen retrieval with citrate buffer will enhance staining. Likely to work with frozen sections. In some cases, the antibody may be diluted further than indicated. Human controls: Anaplastic Thyroid Carcinoma, Bladder Cell Carcinoma, Breast Carcinoma, Colon Carcinoma, Laryngeal Squamous Cell Carcinoma, Lung Adenocarcinoma, Metastatic Lym pH Node, Non-Small Cell Lung Cancer, Ovarian Carcinoma, Prostate Carcinoma, Skin Basal Cell Carcinoma, Skin Melanoma, Small Cell Lung Cancer, Stomach Adenocarcinoma. Mouse controls: Colon Carcinoma CT26, Squamous Cell Carcinoma, Teratoma.

Comment:

Target Species of Antibody: Human

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Anti-NONO / P54NRB antibody IHC staining of human prostate. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 1:100.