

Datasheet for ABIN2626152
anti-NONO antibody (AA 350-400)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	NONO
Binding Specificity:	AA 350-400
Reactivity:	Human, Mouse, Rat, Dog, Horse, Cow, Guinea Pig, Rabbit, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NONO antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunoprecipitation (IP), Proximity Ligation Assay (PLA)

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residues 350 and 400 of human NonPOU Domain Containing, Octamer-binding using the numbering given in entry NP_031389.3 (GeneID 4841).
Purification:	Immunoaffinity purified

Target Details

Target:	NONO
Alternative Name:	NONO / P54NRB (NONO Products)

Target Details

Background:	Name/Gene ID: NONO Synonyms: NONO, 55 kDa nuclear protein, NRB54, NMT55, NonO protein, p54, p54(nrb), p54NRB
-------------	---

Gene ID:	4841
----------	------

Application Details

Application Notes:	Approved: IF (1:100 - 1:500), IHC, IHC-P (1:100 - 1:1000), IP (1 - 4 µg/mg lysate), PLA (1:200 - 1:2000), WB (1:2000 - 1:10000) Usage: Immunohistochemistry: Antigen retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Human controls: Bladder Cell Carcinoma, Breast Carcinoma, Lung Adenocarcinoma, Prostate Carcinoma, Stomach Adenocarcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Skin: Formalin-Fixed, Paraffin-Embedded (FFPE)