

Datasheet for ABIN2627649
anti-RICTOR antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	RICTOR
Binding Specificity:	AA 1650-1708, C-Term
Reactivity:	Human, Mouse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RICTOR antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunoprecipitation (IP), Immunofluorescence (IF), Flow Cytometry (FACS)

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 1650 and the C-terminus (residue 1708) of human Rapamycin-Insensitive Companion of mTOR using the numbering given in TrEMBL entry Q6R327 (GeneID 253260).
Purification:	Immunoaffinity purified

Target Details

Target:	RICTOR
---------	--------

Target Details


Alternative Name:	RICTOR (RICTOR Products)
Background:	Name/Gene ID: RICTOR Synonyms: RICTOR, AVO3 homolog, HAVO3, MAVO3, PIA, KIAA1999, TORC2-specific protein AVO3, AVO3, Pianissimo
Gene ID:	253260
Pathways:	Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Regulation of Actin Filament Polymerization , CXCR4-mediated Signaling Events

Application Details

Application Notes:	Approved: Flo, IF (1:50 - 1:250), IHC, IHC-P (5 µg/mL), IP (2 - 10 µg/mg lysate), WB (1:2000 - 1:10000) Usage: Human controls: Colon Carcinoma, Lung Adenocarcinoma, Prostate Carcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-citrate/phosphate buffer, pH 7-8, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE)