

Datasheet for ABIN2627673
anti-RNF2 antibody (AA 150-200)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	RNF2
Binding Specificity:	AA 150-200
Reactivity:	Human, Mouse, Rat, Cow, Dog, Chicken, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP), Chromatin Immunoprecipitation (ChIP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 150 and 200 of human Ring Finger Protein 2 using the numbering given in entry NP_009143.1 (GeneID 6045).
Purification:	Immunoaffinity purified

Target Details

Target:	RNF2
Alternative Name:	RNF2 / RING2 / RING1B (RNF2 Products)

Target Details


Background:	Name/Gene ID: RNF2 Synonyms: RNF2, DING, HIP2-interacting protein 3, Protein DinG, Ring finger protein 2, RING finger protein BAP-1, BAP-1, HIP13, RING finger protein 1B, RING1B, RING2
Gene ID:	6045

Application Details

Application Notes:	Approved: ChIP, IF (1:250 - 1:1000), IHC, IHC-P (7.5 µg/mL), IP (2 - 5 µg/mg lysate), WB (1:2000 - 1:10000) Usage: Immunohistochemistry: Antigen retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Human controls: Non-Small Cell Lung Cancer, Ovarian Carcinoma, Prostate Carcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-citrate/phosphate buffer, pH 7-8, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Vessel: Formalin-Fixed, Paraffin-Embedded (FFPE)