



[Go to Product page](#)

Datasheet for ABIN2628975  
**anti-TCEA1 antibody (AA 1-50)**

1 Image

### Overview

Quantity:	50 µL
Target:	TCEA1
Binding Specificity:	AA 1-50
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)

### Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 1 and 50 of human transcription elongation factor S-II (transcription elongation factor A (SII), 1) using the numbering given in entry NP_006747.1 (GeneID 6917).
Purification:	Immunoaffinity purified

### Target Details

Target:	TCEA1
Alternative Name:	TCEA1 / TFIIS ( <a href="#">TCEA1 Products</a> )
Background:	Name/Gene ID: TCEA1

## Target Details

---

Synonyms: TCEA1, GTF2S, SII, TCEA, TFIS

Gene ID: 6917

## Application Details

---

Application Notes: Approved: IF (1:50 - 1:500), IHC, IHC-P (1:100)

Usage: Immunohistochemistry: Antigen retrieval is recommended. Antigen retrieval with citrate buffer will enhance staining. Likely to work with frozen sections. In some cases, the antibody may be diluted further than indicated. Human controls: Breast Carcinoma, Colon Carcinoma.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: Lot specific

Buffer: Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Storage Comment: Store at 2-8°C for up to 1 year.

Expiry Date: 12 months



### Immunohistochemistry

**Image 1.** Anti-TCEA1 / TFII5 antibody IHC staining of human breast. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 1:100.