

Datasheet for ABIN2629891
anti-XP01 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	XP01
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This XP01 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (IF)

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residues 1025 and the C-terminus (residue 1071) of human Chromosome Region Maintenance 1 (Exportin 1) using the numbering given in entry NP_003391.1 (GeneID 7514).
Purification:	Immunoaffinity purified

Target Details

Target:	XP01
Alternative Name:	XP01 / CRM1 (XP01 Products)

Target Details


Background:	Name/Gene ID: XP01
	Synonyms: XP01, CRM1, yeast, homolog, Exp1, Exportin-1, CRM1
Gene ID:	7514
Pathways:	M Phase

Application Details

Application Notes:	Approved: IF (1:50 - 1:500), IHC, IHC-P (1:100)
	Usage: Immunohistochemistry: Antigen retrieval is recommended. Antigen retrieval with citrate buffer will enhance staining. Likely to work with frozen sections. In some cases, the antibody may be diluted further than indicated. Human controls: Breast Carcinoma, Colon Carcinoma, Linitis Plastica Stomach Cancer, Metastatic Lym pH Node, Ovarian Carcinoma, Pancreatic Islet Cell Tumor, Prostate Carcinoma, Skin Squamous Cell Carcinoma, Stomach Adenocarcinoma, Testicular Seminoma. Mouse controls: Squamous Cell Carcinoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Anti-XP01 / CRM1 antibody IHC staining of human testis. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 1:100.