

Datasheet for ABIN2629981
anti-ZEB2 antibody (AA 750-800)



[Go to Product page](#)

1 Image

Overview

Quantity:	50 µL
Target:	ZEB2
Binding Specificity:	AA 750-800
Reactivity:	Human, Mouse, Rabbit, Cow, Horse, Dog, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZEB2 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Brand:	IHC-plus™
Isotype:	IgG
Specificity:	Region between residue 750 and 800 of human Smad interacting-protein 1 using the numbering given in entry NP_055610.1 (GeneID 9839).
Purification:	Immunoaffinity purified

Target Details

Target:	ZEB2
Alternative Name:	ZEB2 (ZEB2 Products)

Target Details


Background:	Name/Gene ID: ZEB2
	Synonyms: ZEB2, KIAA0569, SIP1, SMADIP1, ZFX1B, SIP-1, SMAD interacting protein 1, Smad-interacting protein 1, ZFHX1B, Zinc finger homeobox 1b, HSPC082
Gene ID:	9839
Pathways:	Tube Formation

Application Details

Application Notes:	Approved: IF (1:50 - 1:500), IHC, IHC-P (1:100)
	Usage: Immunohistochemistry: Antigen retrieval is recommended. Antigen retrieval with citrate buffer will enhance staining. Likely to work with frozen sections. In some cases, the antibody may be diluted further than indicated. Human controls: Breast Carcinoma, Colon Carcinoma. Mouse controls: Teratoma.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	Tris-buffered saline, 0.1 % BSA, 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C for up to 1 year.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Human Kidney: Formalin-Fixed, Paraffin-Embedded (FFPE)