antibodies.com

## Datasheet for ABIN2648694 IL-3 ELISA Kit



Overview	
Quantity:	96 tests
Target:	IL-3
Reactivity:	Human
Application:	ELISA
Product Details	
Purpose:	Human Interleukin 3 (IL-3) ELISA Assay Kit (enzyme-linked immunoassay kit) is intended for the quantitative determination of human Interleukin 3 (IL-3) concentrations in cell culture supernates, serum, and plasma.
Sample Type:	Serum, Plasma, Cell Culture Cells
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Sensitivity:	15 pg/ml
Characteristics:	Human Interleukin 3 (IL-3) ELISA Assay Kit is for research use only and not to be used in diagnostic procedures.
Target Details	
<b>-</b> .	

Target:	IL-3
Alternative Name:	IL-3 (IL-3 Products)
Pathways:	JAK-STAT Signaling, Regulation of Carbohydrate Metabolic Process, Autophagy

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN2648694 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Sample Volume:	100 µL
Assay Time:	3.5 h
Plate:	Pre-coated
Protocol:	Human Interleukin 3 (IL-3) ELISA Assay Kit employs the quantitative sandwich enzyme immunoassay technique. A monoclonal antibody specific for IL-3 has been pre-coated onto a
	microplate. Standards and samples are pipetted into the wells and any IL-3 present is bound by
	the immobilized antibody. Following incubation unbound samples are removed during a wash step, and then a detection antibody specific for IL-3 is added to the wells and binds to the
	combination of capture antibody- IL-3 in sample. Following a wash to remove any unbound
	combination, and enzyme conjugate is added to the wells. Following incubation and wash steps
	a substrate is added. A colored product is formed in proportion to the amount of IL-3 present in
	the sample. The reaction is terminated by addition of acid and absorbance is measured at
	450nm. A standard curve is prepared from seven IL-3 standard dilutions and IL-3 sample concentration determined.
Restrictions:	For Research Use only
Handling	
Storage:	4 °C

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN2648694 | 09/11/2023 | Copyright antibodies-online. All rights reserved.