

Datasheet for ABIN264951 anti-PPP4R1 antibody (AA 38-52)



| _ | | | | | |
|---|---|---|----|----|---|
| | W | 0 | rv | 10 | W |

| Quantity: | 0.1 mg | |
|---|---|--|
| Target: | PPP4R1 | |
| Binding Specificity: | AA 38-52 | |
| Reactivity: | Human, Mouse, Rat, Cow | |
| Host: | Sheep | |
| Clonality: | Polyclonal | |
| Conjugate: | This PPP4R1 antibody is un-conjugated | |
| Application: | Western Blotting (WB) | |
| Product Details | | |
| | | |
| Immunogen: | Antibody raised against synthetic peptide corresponding to amino acids 38 to 52 of the human | |
| Immunogen: | Antibody raised against synthetic peptide corresponding to amino acids 38 to 52 of the human protein phosphatase 4R1. | |
| Immunogen: | | |
| | protein phosphatase 4R1. | |
| Isotype: | protein phosphatase 4R1. | |
| Isotype: Purification: | protein phosphatase 4R1. | |
| Isotype: Purification: Target Details | protein phosphatase 4R1. IgG Purified | |
| Isotype: Purification: Target Details Target: | protein phosphatase 4R1. IgG Purified PPP4R1 | |
| Isotype: Purification: Target Details Target: Abstract: | protein phosphatase 4R1. IgG Purified PPP4R1 PPP4R1 Products | |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN264951 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

placed in the type 2A family of phosphatases. PP4C has been highly conserved between species sharing 91 % amino acid identity between human and Drosophila PP4C is predominantly localized in the nucleus in rat brain and liver but is most highly expressed in testis. Additionally, PP4C was demonstrated to be an essential enzyme in the development of Drosophila embryos. The expression of PP4C was reduced to 25 % of the normal protein level in a mutant strain of Drosophila termed centrosomes minus microtubules (cmm). An interesting characteristic of the cmm phenotype is the presence of regions of cells that are unable to complete mitosis because no microtubules exist to connect chromatin and centrosomes. This phenotype implicates PP4C in the regulation of the nucleation and/or stabilization of microtubules. These data taken together indicate that PP4 has a crucial cellular function, although a physiological substrate for PP4 has not yet been identified. Synonyms: PP4R1, Protein Phosphatase X/A'2

Application Details

| Application Notes: | Western Blot: 5 - 10 μg/mL, Detects a 125 kDa band in bovine testes lysate. | | |
|--------------------|---|--|--|
| | Other applications not tested. | | |
| | Optimal dilutions are dependent on conditions and should be determined by the user. | | |
| Restrictions: | For Research Use only | | |
| | | | |
| Handling | | | |
| Buffer: | Phosphate buffered saline with 0.08 % sodium azide | | |
| Preservative: | Sodium azide | | |
| Precaution of Use: | of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which | | |
| | should be handled by trained staff only. | | |
| Handling Advice: | Avoid repeated freezing and thawing. | | |
| Storage: | -20 °C | | |
| Storage Comment: | The antibody can be shipped at ambient temperature. Store (in aliquots) at -20 °C only. | | |