# antibodies -online.com





## anti-CD161 antibody (Alexa Fluor 488)

2 Images



Go to Product page

#### Overview

Quantity:	100 tests
Target:	CD161 (KLRB1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD161 antibody is conjugated to Alexa Fluor 488
Application:	Flow Cytometry (FACS)

#### **Product Details**

Clone:	HP-3G10
Isotype:	IgG1 kappa
Cross-Reactivity:	Baboon, Chimpanzee, Rhesus Monkey
Purification:	The antibody was purified by affinity chromatography and conjugated with Alexa Fluor® 488 under optimal conditions.

#### **Target Details**


Target:	CD161 (KLRB1)
Alternative Name:	CD161 (KLRB1 Products)
Background:	CD161 is a type II transmembrane glycoprotein, also known as NKR-P1A, that is expressed as a
	40-44 kD homodimer. It is a member of the C-type lectin superfamily. CD161 is expressed on a
	majority of NK cells, NKT cells, and subsets of peripheral T cells and CD3+ thymocytes. It has

been reported that Th17 cells are a subpopulation of CD4+CD161+CCR6+ cells. While the biological function of CD161 is not clear, it has been suggested to serve either as a stimulatory receptor or to inhibit NK cell-mediated cytotoxicity and cytokine production. LLT-1 (lectin-like transcript-1, also named as osteoclast inhibitory lectin or CLEC2D) is the ligand of CD161.

#### **Application Details**


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA .
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C
l	

#### **Images**



## Flow Cytometry

Image 1.



### Flow Cytometry

Image 2.