

Datasheet for ABIN2657449

anti-ITGA4 antibody (Alexa Fluor 488)





Go to Product page

_			
	Ve.	rv	iew

Quantity:	25 μg
Target:	ITGA4
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This ITGA4 antibody is conjugated to Alexa Fluor 488
Application:	Flow Cytometry (FACS)

Product Details

Clone:	R1-2	
Isotype:	IgG2b kappa	
Purification:	ification: The antibody was purified by affinity chromatography, and conjugated with Alexa Fluor® 488 under optimal conditions.	

Target Details

Target:	ITGA4	
Alternative Name:	CD49d (ITGA4 Products)	
Background: CD49d is a 150 kD glycoprotein, also known as α4 integrin or VLA-4 α chain. It is a member the integrin family, expressed on T and B cells, monocytes, eosinophils, basophils, mast		
	thymocytes, NK cells, and dendritic cells. CD49d is a heterodimer expressed with either of two $\boldsymbol{\beta}$	
	chains, $\beta 1$ (CD29) or $\beta 7$, to form the VLA-4 (integrin $\alpha 4\beta 1)$ or LPAM-1 (integrin $\alpha 4\beta 7)$	

Target Details

complexes. CD49d plays a critical role in adhesion and T cell costimulation	n. The primary ligands
for CD49d are VCAM-1, MAdCAM-1, and fibronectin.	

Pathways: Integrin Complex


Application Details

Application Notes:	tion Notes: Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	

Handling

Concentration:	0.5 mg/mL	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.	
Storage:	4 °C	
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C	

Images



Flow Cytometry

Image 1.