

## Datasheet for ABIN2657827

## anti-CD56 antibody (Alexa Fluor 647)

# 2 Images



Go to Product page

	ve	rvi	0	W
$\cup$	VC	I V I	$\overline{}$	v v

Quantity:	100 tests
Target:	CD56 (NCAM1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD56 antibody is conjugated to Alexa Fluor 647
Application:	Flow Cytometry (FACS)

#### **Product Details**

Clone:	HCD56	
Isotype:	IgG1 kappa	
Purification:	The antibody was purified by affinity chromatography, and conjugated with Alexa Fluor® 647 under optimal conditions.	

## **Target Details**


Target:	CD56 (NCAM1)
Alternative Name:	CD56 (NCAM1 Products)
Background:	CD56 is a single transmembrane glycoprotein also known as NCAM (Neural Cell Adhesion
	Molecule), Leu-19, or NKH1. It is a member of the Ig superfamily. The 140 kD isoform is
	expressed on NK cells and NK-T cells. CD56 is also expressed in the brain (cerebellum and
	cortex) and at neuromuscular junctions. Certain large granular lymphocyte (LGL) leukemias,

small-cell lung carcinomas, neuronal derived tumors, myelomas, and myeloid leukemias also express CD56. CD56 plays a role in homophilic and heterophilic adhesion via binding to itself or heparin sulfate.

## **Application Details**


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C

#### **Images**



## **Flow Cytometry**

Image 1.



#### Immunofluorescence

Image 2.