

Datasheet for ABIN2658909

anti-CD11c antibody (PE-Cy5)

2 Images



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	100 μg
Target:	CD11c (ITGAX)
Reactivity:	Mouse
Host:	Hamster
Clonality:	Monoclonal
Conjugate:	This CD11c antibody is conjugated to PE-Cy5
Application:	Flow Cytometry (FACS)

Product Details

Clone:	N418	
Isotype:	IgG	
Purification:	The antibody was purified by affinity chromatography, and conjugated with PE/Cy5 under optimal conditions. The solution is free of unconjugated PE/Cy5 and unconjugated antibody.	


Target Details

Target:	CD11c (ITGAX)	
Alternative Name:	CD11c (ITGAX Products)	
Background:	CD11c is a 150 kD glycoprotein also known as αX integrin, CR4, and p150. CD11c forms a α	
	heterodimer with β2 integrin (CD18). It is primarily expressed on dendritic cells, NK cells, a	
	subset of intestinal intraepithelial lymphocytes (IEL), and some activated T cells. The $\alpha X\beta 2$	
	integrin plays an important role in cell-cell contact by binding its ligands: iC3b, fibrinogen, and	

Target Details


Target Details	
	CD54.
Pathways:	Complement System, Activated T Cell Proliferation, Integrin Complex
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Concentration:	0.2 mg/mL
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.