

## Datasheet for ABIN2659183 anti-MUC1 antibody (PE-Cy7)

# **Images**



| _ |     |    |     |
|---|-----|----|-----|
|   | IVe | rv | iew |

| Quantity:       | 100 tests                                  |
|-----------------|--|
| Target:         | MUC1                                       |
| Reactivity:     | Human                                      |
| Host:           | Mouse                                      |
| Clonality:      | Monoclonal                                 |
| Conjugate:      | This MUC1 antibody is conjugated to PE-Cy7 |
| Application:    | Flow Cytometry (FACS)                      |
| Product Details |  |

| Clone:        | 16A  |
|---------------|--|
| Isotype:      | IgG1 lambda  |
| Purification: | The antibody was purified by affinity chromatography and conjugated with PE/Cy7 under optimal conditions. The solution is free of unconjugated PE/Cy7 and unconjugated antibody. |

## **Target Details**

| Target:           | MUC1  |
|-------------------|---|
| Alternative Name: | CD227 (MUC1 Products)   |
| Background:       | Mucin-1 (MUC-1), cell surface associated or polymorphic epithelia mucin, is a 500-1000 kD proteoglycan expressed by activated T cells, mucosal epithelial cells, and aberrantly expressed |
|                   | on most breast cancers. In normal cells, CD227 is heavily glycosylated, whereas in cancerous  |
|                   | cells, the glycosylation is incomplete and premature sialation is also observed. The protein is   |

#### **Target Details**

anchored to the apical surface of the epithelial cell and functions as a lubricant to keep the cell hydrated and to protect against pathogens. It can also function as a signaling molecule by forming a MUC-1/SOS1/GrB2 complex. MUC-1 can interact with cancer antigens such as Her2/neu.

Pathways:

Negative Regulation of intrinsic apoptotic Signaling


#### **Application Details**

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions:      | For Research Use only  |

### Handling


| Buffer:            | Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA .                              |  |
|--------------------|--|--|
| Preservative:      | Sodium azide   |  |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |  |
| Handling Advice:   | Protect from prolonged exposure to light. Do not freeze.   |  |
| Storage:           | 4 °C   |  |
| Storage Comment:   | The antibody solution should be stored undiluted between 2°C and 8°C.  |  |

#### **Images**



#### **Flow Cytometry**

Image 1.



### Flow Cytometry

Image 2.