# antibodies -online.com





# anti-CD93 antibody (PE-Cy7)





Go to Product page

$\sim$						
	1//	Д	r۱	1	<b>Θ</b> 1	٨

Quantity:	100 μg
Target:	CD93
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This CD93 antibody is conjugated to PE-Cy7
Application:	Flow Cytometry (FACS)

#### **Product Details**

Clone:	AA4-1
Isotype:	IgG2b kappa
Purification:	The antibody was purified by affinity chromatography, and conjugated with PE/Cy7 under
	optimal conditions. The solution is free of unconjugated PE/Cy7 and unconjugated antibody.

#### Target Details

Target:	CD93
Alternative Name:	CD93 (CD93 Products)
Target Type:	Chemical
Background:	CD93 is a 130-140kD C-type lectin-like type I transmembrane protein, also known as complement component 1, q subcomponent (C1qR1), C1qRp collectin receptor (C1qRp), or AA4 antigen. It is a receptor expressed on immature B lymphocytes, hematopoietic progenitors


and stem cells in adult bone marrow, fetal liver, and embryonic yolk sac. CD93 expression levels on splenic immature/transitional B cells is much lower than in bone marrow. It is reinduced during plasma cell differentiation and plays an important role in maintaining plasma cells in bone marrow niches. Immature dendritic cells express CD93 and down-regulate this molecule upon maturation, suggesting a role in uptake of particles by DC. It is also expressed on monocytes, macrophages, and endothelial cells. Macrophages from CD93 (-/-) mice had a significant phagocytic defect in the clearance of apoptotic cells in vivo, indicating CD93 may contribute to the in vivo clearance of dying cells. Binding of CD93 to C1q remains controversial.

## **Application Details**

Storage Comment:


• •		
Application Notes:	Notes: Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Concentration:	0.2 mg/mL	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.	
Storage:	4 °C	

The antibody solution should be stored undiluted between 2°C and 8°C.



# Flow Cytometry

Image 1.



### **Flow Cytometry**

Image 2.