

Datasheet for ABIN2659771

anti-Interferon gamma antibody (PE/Dazzle™ 594)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	Interferon gamma (IFNG)
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This Interferon gamma antibody is conjugated to PE/Dazzle™ 594
Application:	Flow Cytometry (FACS)

Product Details

Clone:	XMG1-2
Isotype:	IgG1 kappa
Purification:	The antibody was purified by affinity chromatography and conjugated with PE/Dazzle™ 594 under optimal conditions. The solution is free of unconjugated PE/Dazzle™ 594 and unconjugated antibody.

Target Details

Target:	Interferon gamma (IFNG)
Alternative Name:	IFN-gamma (IFNG Products)
Background:	Interferon-γ is a potent multifunctional cytokine which is secreted primarily by activated NK cells and T cells. Originally characterized based on anti-viral activities, IFN-γ also exerts anti-proliferative, immunoregulatory, and proinflammatory activities. IFN-γ can upregulate MHC

Target Details

class I and II antigen expression by antigen-presenting cells.

Pathways: [Interferon-gamma Pathway](#), [Cellular Response to Molecule of Bacterial Origin](#), [Regulation of Leukocyte Mediated Immunity](#), [Positive Regulation of Immune Effector Process](#), [Production of Molecular Mediator of Immune Response](#), [ER-Nucleus Signaling](#), [Regulation of Carbohydrate Metabolic Process](#), [Protein targeting to Nucleus](#), [Autophagy](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Concentration: 0.2 mg/mL

Buffer: Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Protect from prolonged exposure to light. Do not freeze.

Storage: 4 °C


Storage Comment: The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.