

Datasheet for ABIN2660300 anti-CCR6 antibody (PerCP-Cy5.5)

2 Images



Go to Product page

| _ | | | | |
|----|-----|-----|-----|---|
| () | ve. | rv/ | 101 | Λ |

| Quantity: | 100 μg |
|--------------|--|
| Target: | CCR6 |
| Reactivity: | Mouse |
| Host: | Armenian Hamster |
| Clonality: | Monoclonal |
| Conjugate: | This CCR6 antibody is conjugated to PerCP-Cy5.5 |
| Application: | Immunohistochemistry (IHC), Immunoprecipitation (IP), Intracellular Flow Cytometry (ICFC), Immunofluorescence (IF) |

Product Details

| Clone: | 29-2L17 |
|---------------|---|
| Isotype: | IgG |
| Purification: | The antibody was purified by affinity chromatography, and conjugated with PerCP/Cy5.5 under optimal conditions. The solution is free of unconjugated PerCP/Cy5.5 and unconjugated antibody. |

Target Details

| Target: | CCR6 |
|-------------------|---|
| Alternative Name: | CD196 (CCR6 Products) |
| Background: | CCR6 is a G-protein linked chemokine receptor which binds the chemokine CCL20/MIP-3a. It is expressed on B lymphocytes and certain subsets of dendritic cells and T cells. CCR6 is reported |

Target Details

| | to be involved in mucosal immune response and lymphocyte migration and homeostasis. |
|-----------|---|
| Pathways: | cAMP Metabolic Process |


Application Details

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions: | For Research Use only |

Handling


| Concentration: | 0.2 mg/mL |
|--------------------|--|
| Buffer: | Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice: | Protect from prolonged exposure to light. Do not freeze. |
| Storage: | 4 °C |
| Storage Comment: | The antibody solution should be stored undiluted between 2°C and 8°C. |

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.