

Datasheet for ABIN2660634

anti-CD11c antibody (APC-Cy7)

Images



\sim		:		
	11/0	r 🗤	\square	Λ

Quantity:	100 μg
Target:	CD11c (ITGAX)
Reactivity:	Mouse
Host:	Hamster
Clonality:	Monoclonal
Conjugate:	This CD11c antibody is conjugated to APC-Cy7
Application:	Cytometry by Time of Flight (CyTOF), ELISA (Capture)
Product Details	

Clone:	N418
Isotype:	IgG
Purification:	The antibody was purified by affinity chromatography, and conjugated with APC/Cy7 under
	optimal conditions. The solution is free of unconjugated APC/Cy7 and unconjugated antibody.


Target Details

Target:	CD11c (ITGAX)	
Alternative Name:	CD11c (ITGAX Products)	
Background:	CD11c is a 150 kD glycoprotein also known as αX integrin, CR4, and p150. CD11c forms a heterodimer with $\beta 2$ integrin (CD18). It is primarily expressed on dendritic cells, NK cells, a	
	subset of intestinal intraepithelial lymphocytes (IEL), and some activated T cells. The $\alpha X\beta 2$	
	integrin plays an important role in cell-cell contact by binding its ligands: iC3b, fibrinogen, and	

Target Details		
	CD54.	
Pathways:	Complement System, Activated T Cell Proliferation, Integrin Complex	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Concentration:	0.2 mg/mL	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.	
Storage:	4 °C	

Images


Storage Comment:



Flow Cytometry

Image 1.

The antibody solution should be stored undiluted between 2°C and 8°C.



Flow Cytometry

Image 2.