

Datasheet for ABIN2661110

anti-CD51/CD61 antibody (Biotin)





Go to Product page

_						
	1//	Д	rv	16	٦/	٨
	W	\vdash	ΙV	Ιt	٦,	/V

Quantity:	100 μg	
Target:	CD51/CD61 (ITGAV/ITGB3)	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This CD51/CD61 antibody is conjugated to Biotin	
Application:	Flow Cytometry (FACS), Immunoprecipitation (IP), Western Blotting (WB), Immunohistochemistry (IHC)	

Product Details

Clone:	23C6
Isotype:	IgG1 kappa
Cross-Reactivity:	Rabbit, Chicken
Purification:	The antibody was purified by affinity chromatography, and conjugated with biotin under optimal conditions. The solution is free of unconjugated biotin.


Target Details

Target:	CD51/CD61 (ITGAV/ITGB3)
Alternative Name:	CD51/61 (ITGAV/ITGB3 Products)
Background:	CD51/CD61 is an integrin complex known as αVβ3. It is expressed at high levels on osteoclasts,
	endothelial cells, and melanoma cells and at low levels on platelets and macrophages. CD51 is

a heterodimer composed of disulfide-linked 125 kD and 24 kD proteins. CD61 is also a member of the integrin family known as gpllla or β 3 integrin. It is a 110 kD common β subunit of CD51/CD61 or CD41/CD61 complex. CD51/CD61, also known as the vitronectin receptor, mediates the binding of platelets to immobilized vitronectin without prior activation. Other ligands include RGD-containing proteins such as fibrinogen, fibronectin, von Willebrand factor (vWf), laminin, thrombospondin and the neural adhesion molecule L1. CD51/CD61 also mediates cell-cell adhesion via interaction with CD31. CD51/CD61 acts as an activation-independent receptor for platelet attachment and spreading on vitronectin and other RGD-containing proteins, including matrix components. The 23C6 antibody has been reported to be useful for blocking studies.

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Concentration:	0.5 mg/mL
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.



Flow Cytometry

Image 1.