

# Datasheet for ABIN2662075

# anti-CD11c antibody (Pacific Blue)





| ()     | ve  | rvi   | 6      | W   |
|--------|-----|-------|--------|-----|
| $\sim$ | v C | 1 V I | $\sim$ | v v |

| Overview        |   |
|-----------------|---|
| Quantity:       | 100 tests   |
| Target:         | CD11c (ITGAX)                                     |
| Reactivity:     | Human   |
| Host:           | Mouse   |
| Clonality:      | Monoclonal  |
| Conjugate:      | This CD11c antibody is conjugated to Pacific Blue |
| Application:    | ELISA   |
|                 |   |
| Product Details |   |
| Clone:          | 3-9   |

| Clone:            | 3-9   |
|-------------------|---|
| Isotype:          | IgG1 kappa  |
| Cross-Reactivity: | Cynomolgus, Rhesus Monkey, Chlorocebus aethiops (Green monkey) (Cercopithecus aethiops),<br>Baboon, Chimpanzee, Squirrel Monkey (Saimiri spec.), Green Monkey (Chlorocebus sabaeus) |
| Purification:     | The antibody was purified by affinity chromatography, and conjugated with Pacific Blue™ under optimal conditions. The solution is free of unconjugated Pacific Blue™.               |

# Target Details

| Target:           | CD11c (ITGAX)  |
|-------------------|--|
| Alternative Name: | CD11c (ITGAX Products)   |
| Background:       | CD11c is a 145-150 kD type I transmembrane glycoprotein also known as integrin αX and CR4. |
|                   | CD11c non-covalently associates with integrin $\beta 2$ (CD18) and is expressed on         |

### **Target Details**

| monocytes/macrophages, dendritic cells, granulocytes, NK cells, and subsets of T an    | d B cells. |
|--|------------|
| CD11c has been reported to play a role in adhesion and CTL killing through its interac | tions with |
| fibrinogen, CD54, and iC3b.  |            |

Pathways:

Complement System, Activated T Cell Proliferation, Integrin Complex


# **Application Details**

| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--|
| Restrictions:      | For Research Use only  |

### Handling

| Buffer:            | Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA .                              |
|--------------------|--|
| Preservative:      | Sodium azide   |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Handling Advice:   | Protect from prolonged exposure to light. Do not freeze.   |
| Storage:           | 4 °C   |
| Storage Comment:   | The antibody solution should be stored undiluted between 2°C and 8°C.  |

#### **Images**



# Flow Cytometry

Image 1.