

Datasheet for ABIN2662166

anti-Neuropilin 1 antibody (Pacific Blue)[Go to Product page](#)**2** Images

Overview

Quantity:	100 tests
Target:	Neuropilin 1 (NRP1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Neuropilin 1 antibody is conjugated to Pacific Blue
Application:	Flow Cytometry (FACS)

Product Details

Clone:	12C2
Isotype:	IgG2a kappa
Purification:	The antibody was purified by affinity chromatography and conjugated with Pacific Blue™ under optimal conditions. The solution is free of unconjugated Pacific Blue™.

Target Details

Target:	Neuropilin 1 (NRP1)
Alternative Name:	CD304 (NRP1 Products)
Background:	CD304, also known as neuropilin-1, BDCA-4 and VEGF165R, is a 140 kD type I transmembrane protein. Its extracellular region contains 2 CUB, 2 FV/FVIII, and one MAM domain, a soluble isoform is produced by alternative mRNA splicing. CD304 is involved in angiogenesis, neural development, and tumor metastasis. It's expressed by plasmacytoid dendritic cells,

Target Details

thymocytes, neurons, endothelium, and a subset of TFH cells. CD304 is also expressed in several carcinomas, and a high expression of this molecule in prostate cancer correlates with a poor prognosis.

Pathways: [Regulation of Cell Size](#), [Signaling Events mediated by VEGFR1 and VEGFR2](#), [Smooth Muscle Cell Migration](#), [Platelet-derived growth Factor Receptor Signaling](#), [VEGFR1 Specific Signals](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Buffer: Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA .

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling Advice: Protect from prolonged exposure to light. Do not freeze.

Storage: 4 °C


Storage Comment: The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.