
antibodies -online.com





2 Images



Go to Product page

_					
U	V	er	VI	е	W

Quantity:	100 tests
Target:	CLEC9A
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CLEC9A antibody is conjugated to PE
Application:	Intracellular Flow Cytometry (ICFC)

Product Details

Clone:	8F9	
Isotype:	IgG2a kappa	
Purification:	The antibody was purified by affinity chromatography and conjugated with PE under optima conditions. The solution is free of unconjugated PE and unconjugated antibody.	

Target Details


Target:	CLEC9A
Alternative Name:	CD370 (CLEC9A Products)
Background:	CD370 (CLEC9A), also known as DNGR1, is a type II transmembrane protein consisting of a
	single extracellular C-type lectin domain (CTLD) that is connected to the transmembrane
	domain by a stalk region, and an intracellular cytoplasmic tail with immunoreceptor tyrosine-
	based activation motif (ITAM). In humans, CLEC9A is strictly expressed on BDCA3-positive

conventional dendritic cells (cDC) and CD16- monocytes. CLEC9A recognizes a ubiquitous preformed acid-labile protein associated ligand(s) that is exposed on necrotic cells. CLEC9A ligation is necessary for efficient cross-presentation of dead-cell-associated antigen by recruitment and activation of the tyrosine kinase Syk.

Application Details


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA .
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.

Images



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.