

Datasheet for ABIN2662762 anti-IL-27 antibody (PE)

Images



Overview

Quantity:	100 μg
Target:	IL-27 (IL27)
Reactivity:	Mouse
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL-27 antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details

Clone:	MM27-7B1
Isotype:	lgG2a
Purification:	The antibody was purified by affinity chromatography and conjugated with PE under optimal conditions. The solution is free of unconjugated PE and unconjugated antibody.

Target Details

Target:	IL-27 (IL27)
Alternative Name:	IL-27 p28 (IL27 Products)
Background:	IL-27 is a heterodimeric cytokine consisting of EBV-induced gene-3 (EBI3, an IL-12 p40-related
	protein) and p28 (a newly discovered IL-12 P35-related protein). It is a member of the IL-6/IL-12
	cytokine family and mainly produced by antigen-presenting cells, including macrophages and
	dendritic cells. IL-27 acts on T cells and NK cells. It has been reported that IL-27 drives rapid


clonal expansion of naive CD4+ T cells, and promotes Th1 polarization and IFN- γ production in synergy with IL-12. The IL-27-induced Th1 differentiation was mediated by rapid and marked upregulation of ICAM-1/LFA-1 interaction in a STAT1-dependent manner. IL-27 exhibits anti-inflammatory function by enhancing Th1 cell differentiation, a potent antitumor activity, through CD8+ T cell and NK cell activation. It also plays a potential therapeutic role in autoimmune disease by inhibiting Th-17 development. IL-27 mediates its biological effects through its receptor, WSX-1/T cell cytokine receptor (TCCR), which is homologous to the IL-12R β 2 subunit. Protein gp130 serves as a functional signal-transducing molecule for IL-27.

Application Details

Storage Comment:


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Concentration:	0.2 mg/mL
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C

The antibody solution should be stored undiluted between 2°C and 8°C.



Flow Cytometry

Image 1.



Flow Cytometry

Image 2.