# antibodies -online.com





# anti-TREML2 antibody (PE)

3 Images



Go to Product page

#### Overview

Quantity:	100 tests
Target:	TREML2
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This TREML2 antibody is conjugated to PE
Application:	Immunoprecipitation (IP)

# Product Details

Clone:	MIH61
Isotype:	IgG1 kappa
Purification:	The antibody was purified by affinity chromatography and conjugated with PE under optimal
	conditions. The solution is free of unconjugated PE and unconjugated antibody.

# **Target Details**


Target:	TREML2
Alternative Name:	TLT-2 (TREML2 Products)
Background:	Trem-like transcript 2 protein (TLT2), also known as TREML2, is a 33 kD (unglycosylated) type I
	transmembrane protein with a single IgV domain containing two potential N-glycosylation sites,
	a serine/threonine-rich region with numerous predicted O-linked glycosylation sites, a single
	membrane-spanning region, and a short cytoplasmic tail. TLT2 is expressed on B lineage cells,

macrophages, and neutrophils in bone marrow and periphery, and the expression level can be upregulated in response to inflammation. As a receptor, TLT2 likely plays a role in innate immunity. Recent studies have demonstrated that ligation of TLT2 inhibits the oxidative burst in neutrophils upon fMLP stimulation, indicating that TLT2 may function as an inhibitory receptor that attenuates activation of neutrophils and possibly macrophages. Recently, TLT-2 protein has been found on CD8+ T cells and is induced on activated CD4+ T cells.

#### **Application Details**


Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.09 % sodium azide and 0.2 % (w/v) BSA .
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Protect from prolonged exposure to light. Do not freeze.
Storage:	4 °C
Storage Comment:	The antibody solution should be stored undiluted between 2°C and 8°C.

### **Images**




# Flow Cytometry

Image 1.



# Flow Cytometry

Image 2.



CD19 APC

# Flow Cytometry

Image 3.